

Desktop and Wireless Phone Portfolio

Connecting you to the digital workplace.



The right phone every time

Communicating by telephone is vital to the success of today's enterprises. Whether conversing with colleagues or talking to customers, speech is still at the heart of business communication. Therefore, choosing the right phone is of vital importance.

Superior audio, efficiency, and usability

Atos Unify has a long heritage of providing robust and reliable voice solutions. Consistently innovative, we provide you with the very best phones for your most trusted form of communication – voice. Our portfolio of desktop and wireless phones and accessories is unequalled in its breadth and flexibility, ensuring the best fit for your business. Our phones provide great speech quality and are highly adaptable for any size of business.

User acceptance is a key factor of any successful communications project, which is why Atos Unify continuously develops phones that are easy to use and install. In addition, AudioPresenceHD® ensures the highest sound quality available today, providing an immersive end-user experience that increases productivity.

And software upgrades mean that new features can be added with ease. Whatever the size of your company and wherever you are in terms of technology adoption, Atos Unify can provide the best mix of phones to suit your business needs.

What do you expect from the perfect telephone?

More innovation: Our Desktop Family

Communication productivity at the desktop is critical to business performance. Phones serve as a key interface to teams, customers and stakeholders, and can directly impact efficiency. Available in SIP, HFA and TDM, the Atos Unify desk phone family is designed to help organizations improve productivity. With a priority on audio components and acoustic features, our desktop phones deliver a superior audio experience that helps keep users connected, responsive and collaborative within and beyond the walls of the organization.

>> Page 3

More mobility: Wireless phones

The specialized needs of on campus mobile employees, whether for safety or availability, demand robust and reliable solutions from wireless phones. Choose from our global market leading DECT or our WLAN offerings.

>> Page 9

“Sustainability, climate protection and resource efficiency are key success factors for our business and when purchasing products we pay a great deal of attention to these criteria. In this respect, we are particularly pleased that the new OpenScope Desk Phone CP phones meet these attributes and in addition reduced their energy consumption considerably.”

Elmar Jordan
Head of Customer Service Networks
and Communication
Viessmann IT Service

“Our company is on the move. We're constantly growing, and we need to be as mobile and flexible as we can. Our telephones should be mobile and flexible as well throughout our entire organization. The wireless phones are the perfect choice for every workplace – from office to production.”

The owner of an industrial enterprise



Atos Unify OpenScope
Desk Phone CP200 / CP205

Desktop Devices

What are customers looking for when choosing an enterprise communications phone?

- Reducing telephony costs
- Improving voice quality
- Enabling mobility, allowing employees to feel connected
- Integrating with existing business applications
- Choosing a system that is flexible and easy to use
- Avoiding dependence on one vendor through open standards

Atos Unify phones are the perfect match

Atos Unify desktop phones are stylish, engaging and intuitive without compromising security or quality. They enrich the communications experience with a user friendly interface to high demand features and open integration to productivity enhancing applications.

"Atos Unify has proven they are committed to quality and excellence while addressing real needs in the marketplace. We're proud to honor their hard work and accomplishments and look forward to more innovative solutions from them in the future."

Rich Tehrani,
Internet Telephony/Editor-in-Chief



Atos Unify OpenScape Desk Phone CP600E with KM600

From entry-level to executive, always the right solution for your company

No matter what technology you use today - or want to use tomorrow - Atos Unify offers you devices that always fit.

SIP telephony **SIP**

SIP telephones use the Session Initiation Protocol (SIP) to communicate with all the components in the network. Integration into the open, Internet based structure of SIP means access to performance improving business applications, and implementing new features is quick and simple. Thanks to the SIP standard, all SIP telephones support a wide variety of SIP communication systems and can give the demanding user access to business applications.

HiPath Feature Access **HFA**

The HFA (CorNet-IP) operating mode combines the advantage of an IP based workpoint with the comprehensive feature set of an OpenScape communication platform. HFA workpoints are connected to the LAN by common Ethernet wires (if no PoE: additional power supply required), which is connected to a PBX by a gateway. By changing the telephone software a change-over from HFA to SIP is possible.

TDM telephony **TDM**

Traditional Time Division Multiplexing (TDM) phones are targeted towards customers who wish to keep their current telephony solution, but want a high level of functionality and style.



Atos Unify OpenScape Desk Phone CP100

Vibrant conversations happen here

Setting the benchmark for open, unified communications that boost productivity and streamline workflow with the most used office device – the telephone.

“Atos Unify’s efforts to extend HD voice across its entire IP portfolio with AudioPresenceHD® increase the overall value of its already high quality proven IP desktop phones, allowing customers to enjoy a natural voice experience with higher voice quality, superior clarity, better intelligibility and a richer sound experience. The overall result is higher degrees of customer satisfaction and increased productivity.”

Mohamed Alaa Saayed,
Senior Industry Analyst
with Frost & Sullivan



Atos Unify OpenScape
Desk Phone CP600

Vibrant conversations at the desktop

Combining the latest technology with stylish, user-friendly design, our end-to-end portfolio of desktop devices incorporates an intuitive interface and rich communication features including synchronized contacts, customizable interfaces, and plug and play availability. The bottom line: Lower cost and more efficient communication.

Ease of use

Rich user interface with intuitive navigation using innovative touch sensitive controls
Highly customizable with a personal phone book (with pictures), digital photo frame capability, skins/themes, downloadable MP3 ringtones and more.

Sustained increase in productivity

- Contact synchronization can result in substantial cost saving on your mobile phone bill by encouraging employees to use their Atos Unify desktop phone rather than their mobile phone
- Gigabit Ethernet built in, so no bottlenecks at the desktop
- Optimize business workflows with powerful UC integration to OpenScape UC and OpenScape Business UC
- Microsoft Outlook™ synchronization
- Access to LDAP directory

Immersive conversations with HD Audio

- Best-in-class acoustics for crisp, accurate, high fidelity voice on both handsets and speakerphones.
- High definition voice is supported across the entire portfolio of Atos Unify IP telephones
- Available for audio conferencing, providing the best sound quality available today with auto-volume normalization and echo cancellation
- Superior voice quality that alleviates aging demographic and language challenges
- Positive representation of your brand to your customers



IP Desktop Phone Portfolio from Atos Unify

Atos Unify OpenScope Desk Phone CP100

SIP

HFA

For cost-effective entry-level scenarios OpenScope Desk Phone CP100 is ideal for basic requirements and cloud installations

- Three-line monochrome graphical display
- 2 fixed feature key
- 3 programmable keys
- Full-duplex hands-free talking
- Wall mountable out of the box



Atos Unify OpenScope Desk Phone CP200 / CP205

SIP

HFA

OpenScope CP200 is a feature rich desk top device with superior audio quality. Ideal for users with UC-/CTI support. CP200 includes 10/100 Ethernet switch and the CP205 includes 10/100/1G.

- Two-line monochrome graphical display
- 8 fixed feature key
- 4 programmable keys
- Full-duplex hands-free talking
- Headset interface



Atos Unify OpenScope Desk Phone CP400

SIP

HFA

Large display and numerous programmable keys. This is the standard device for most office workplaces.

- Tilttable graphical display,
- 3.7" (240*120 pixel), monochrome
- LED backlight (white), notification LED (red/green/amber)
- 4 context sensitive soft keys with LED (red/green/amber)
- 2 fixed feature keys (Menu/Out-of-office)
- 16 free programmable feature keys with LED (red/green/amber)
- 3 audio keys (Mute/Speaker/Headset) with LED (red or green)
- Open listening / Handsfree talking (Full-duplex)
- Headset port (DHSG/EHS)
- 10/100/1000 Base-T Ethernet Switch
- Optional Circuit conversation integration
- AudioPresenceHD®



Atos Unify OpenScope Desk Phone CP600 / CP600E

SIP

HFA

Power devices with color or greyscale display. Ideal for the collaborative workplace with many interoperability capabilities

- Tilttable graphical TFT display, 4.3" (480*272 pixel), color (CP600) or greyscale (CP600E)
 - LED backlight (white)
 - Notification LED (red/green/amber)
 - 5 context sensitive soft keys with LED (red/green/amber)
 - 2 fixed feature keys (Menu/Out-of-office)
 - 4-way navigator, plus OK-key
 - 3 audio keys (Mute/Speaker/Headset) with LED (red or green)
 - Open listening / Handsfree talking (Full-duplex)
 - Headset port (DHSG/EHS)
 - 10/100/1000 Base-T Ethernet Switch
 - SD card Interface *
 - Bluetooth 2.1 BR/EDR *
 - Bluetooth 4.1 LE Beacon with support for Eddystone™ *
 - Near field communication (NFC) *
 - Optional Circuit conversation integration
 - Wall mountable
- * CP600 only



Atos Unify OpenScope Desk Phone CP700 / CP700X

SIP

HFA

User-friendly form, function and interface, the CP700 and CP700X combine powerful communication capabilities with a beautiful profile and housing design options

- Color graphical TFT display (800*480 pixel), 5"
- Notification LED (green, amber, red), front and rear view
- 6 permanent free programmable and 6 favorite keys with LED (green, amber, red)
- 7 fixed function keys
- 5-way navigation key
- 3 audio keys
- Bluetooth 5.0 support with 2 audio streams
- Open listening / Hands-free talking
- Passive RFID tag support
- NFC tag support
- 10/100/1000 MBit/s Ethernet
- IEEE 802.3af Power over Ethernet, class 2
- Maximum 2 Key Module 600 support
- Wall mountable CP700X
- WIFI connectivity
- Maximum 2 Key Module 600 support
- Elegant metallic finishes on device housing



TDM Desktop Phone Portfolio from Atos Unify

Atos Unify OpenStage 10 T

TDM

High quality audio ideal for mass deployments in TDM environments

- 12 button dialpad
- Speaker Key with LED
- 3 free programmable keys with LEDs
- Plus/ minus keys



Atos Unify OpenStage 15 T

TDM

Exceptional performance in an affordable, easy-to-use device for a wide variety of users

- Two-line monochrome graphical display
- 12 key dialpad and 8 free programmable keys
- Speaker, messages and menu key
- Full-duplex hands-free talking
- Optional key module



Atos Unify OpenStage Desk Phone CP200T

TDM

Exceptional performance in an affordable, easy-to-use device for a wide variety of users

- Two-line monochrome graphical display
- 4 free programmable keys with LED (green)
- 5 fixed feature keys, 3 with LED (red or green)
- Headset port
- Full-duplex hands-free talking



Atos Unify OpenStage 30 T

TDM

Vast array of configurable keys and expansion modules for outbound calling specialists

- Two-line monochrome graphical display
- 8 programmable keys
- 8 fixed feature keys
- Speaker, messages and menu key
- Full-duplex hands-free talking plus headset jack
- Wall mountable



Atos Unify OpenStage 40 T

TDM

Customizable for various workplace needs. An ideal solution for teams, desk sharing or contact centers.

- Tilttable graphical display,
- 6 lines monochrome, backlit
- Optical call alert
- 8 fixed function keys (partly equipped with red LEDs)
- 6 freely programmable touch keys (illuminated) with red LED (function, speed dial, or line keys)
- 5-way navigator
- Headset jack
- USB slave



Atos Unify OpenStage Desk Phone CP400T

TDM

Mid-tier device with large display, numerous programmable keys and optional key module

- Tilttable 3.7" monochrome graphical display
- 4 context sensitive soft keys with LED (green)
- 2 fixed feature keys (Menu/Call Forwarding)
- 16 free programmable feature keys with LED (green)
- 4-way navigator, plus OK-key
- Open listening / Handsfree talking
- Headset port
- Up to 2 Key Module 400s optional



Atos Unify OpenStage 60 T

TDM

Vivid LCD display, with rich features and apps for power users & managers

- Tilttable 5.7" color (QVGA) backlit display
- 12 button dialpad
- Status LED & message waiting indicator
- 8 free programmable keys with LEDs
- 12 fixed feature buttons
- Bluetooth V2.1
- USB master and slave
- Headset jack



Desk Phone Accessories

KM600 Key Module for the OpenScape Desk Phone CP600, CP600E, CP700 and CP700X

- High contrast monochrome TFT display
- 12 free programmable feature keys with LEDs
- 2 Navigation keys
- Max. 4 Modules per CP600, CP700X
- Max. 2 Modules per CP600E, CP700



KM400 Key Module for the OpenScape Desk Phone CP400, CP400T

- 16 free programmable feature keys with LEDs
- Key labelling by paper inlays
- Max. 2 Modules per phone



Wall Mount Kit available for OpenScape Desk Phone CP200, CP205, CP600, CP600E, CP700 and CP700X

- OpenScape CP100 is wall-mountable out of the box



Atos Unify OpenStage Key Module 15 T, 40 T, 60 T

- Additional freely programmable keys with LEDs; function, speed dial, or line keys
- Available in ice blue or lava



Atos Unify OpenStage Busy Lamp Field (BLF) Module 40 T

With 90 additional programmable function keys, it's ideal for attendant consoles monitoring time user status (e. g. available, busy)

- Only one BLF suitable for connection
- Key labelling by paper inlays
- External power supply necessary
- Available in ice blue or lava
- Available only for HFA, TDM



Wall Mount Kit for OpenStage 10 T, 15 T, 30 T and 40 T

Available in lava and ice blue

Desktop Phone Portfolio from Atos Unify

Desktop Portfolio at-a-Glance

TDM Portfolio

	OpenStage 10 T	OpenStage 15 T	OpenScape CP200T	OpenStage 30 T	OpenStage 40 T	OpenScape CP400T	OpenStage 60 T
Housing Color	Ice Blue / Lava	Ice Blue / Lava	Black	Ice Blue / Lava	Ice Blue / Lava	Black	Ice Blue / Lava
Display	-	2 line monochrome	2 line 192*48 pixel monochrome	2 line monochrome	6 line 240*128 pixel monochrome Backlit & Tilttable	240*12 pixel monochrome Backlit & Tilttable	320x240 pixel Color TFT Backlit & Tilttable
Keys	3 progr. Speaker key +/- Volume	8 progr. 3 fixed feature +/- Volume	4 progr. 5 fixed feature +/- Volume	8 progr. 8 fixed feature +/- Volume	6 progr. 8 fixed feature +/- Volume	16 progr. 2 fixed feature +/- Volume	8 progr. 12 fixed feature Touchwheel Volume slider
Hands-free	-	Yes	Yes	Yes	Yes	Yes	Yes
Headset	-	-	Yes	Yes	Yes	Yes	Yes
Bluetooth	-	-	-	-	-	-	Yes
Key Module	-	Yes	-	Yes	Yes	Yes	Yes
Wall Mountable	Yes	Yes	Yes	Yes	Yes	-	-

IP Portfolio

	OpenScape CP100	OpenScape CP200 / CP205	OpenScape CP400	OpenScape CP600 / CP600E	OpenScape CP700 / CP700X
Housing Color	Black	Black	Black	Black	CP700: Black CP700X: Black, Metallic Trim
Display	3 line mono-chrome	2 line monochrome	240X120 pixel monochrome Backlight & tilttable	480X272 pixel TFT Backlight & tilttable CP600: Color CP600E: B&W	800*480 pixel Color 6 line TFT Backlight & Tilttable
Keys	3 progr. 2 fixed feature	4 progr. 8 fixed feature	16 progr. 5 fixed feature 4 soft	5 fixed feature 5 soft	12 free programmable 7 fixed function keys
Hands-free	Yes	Yes	Yes	Yes	Yes
Headset	-	Yes	Yes	Yes	Yes
Bluetooth	-	-	-	CP600: Yes CP600E: No	Yes
Key Module	-	-	Yes	CP600: 4 max CP600E: 2 max	CP700: Max 2 CP700X: Max 4
Wall Mountable	Yes	Yes	-	Yes	Yes
Ethernet Switch	10/100 Mbit/s	10/100 Mbit/s Gigabit: CP205	Gigabit	Gigabit	Gigabit
PoE Class	Class 1	Class 1	Class 2	Class 2	Class 2

Making communication mobile



Atos Unify OpenScope
DECT Phone SL6

Atos Unify gives you more competitive advantages with wireless solutions:

- Transact business in real time
- Support employee safety through rugged and reliable connectivity
- Avoid voice mail and phone tag
- Facilitate workgroup collaboration
- Deliver excellent voice quality
- Reduce costly mobile phone bills

You spend a lot of your time elsewhere in the company and you simply must be reachable at all times. Atos Unify offers market leading DECT and WLAN mobile handsets that expand mobile communication at the workplace and anywhere on campus.

Give employees the freedom to communicate effectively from anywhere in the workplace. More than just an attractive phone - wireless phones from Atos Unify deliver the benefits of mobility, reliability, safety, higher productivity, improved customer service, and better communications anywhere, at any time.

Devices for wireless communications

There are two different technological approaches for a wireless communication solution. Depending on your needs and requirements, we recommend either DECT or WLAN as your solution.

DECT

With no requirements for mobile data transmission, our professional DECT phones are the cost-effective optimum solution. Traditional TDM DECT as well as IP DECT infrastructures are supported. Specially equipped versions for industrial environments are also available.

WLAN

To benefit from the cost savings and simplified management of a convergent voice and data network, our WLAN professional phones offer a perfect match.

Choosing between DECT and VoWLAN

VoWLAN	DECT	Customer Consideration
Supports voice and data on one network	Optimized for voice; limited data capabilities	VoWLAN requires careful deployment and capacity planning, where DECT is relatively a simple installation
802.11 networks operate in the 2.4 GHz band	Dedicated frequency band at 1.9 GHz; marginal interference	Dedicated frequencies help isolate interference
Established protocols for roaming and handover; open security standards exist.	Mature and robust mechanisms for roaming, handover, encryption and security	Security should not be sacrificed when roaming or when calls change access points or nodes to maintain communication
Quality of Service influenced by network traffic, CAC capability	Quality of Service is uniform	QoS guarantees are important to ensure a high standard of performance, particularly if network capacity is insufficient
Supports 3 to 12 channels	Supports 120 non-overlapping channels	More channels will ensure your signal and quality of communication are stable
Typical standby/talk time (battery) is 10 hours	Typical standby/talk time (battery) is 10-12 hours	Longer battery life enables workers to be productive longer and helps reduce dropped calls
Range of 30-150 meters for 802.11 networks	Range of 300 meters	An extended range for your phones will ensure less calls are dropped and allows workers to feel less inhibited in their movement

Atos Unify OpenScape DECT Phone SL6

DECT

The OpenScape DECT Phone SL6 boasts the largest screen with our slimmest and smallest cordless handset, all without compromising high end functionality, security, aesthetics or design.

- Large 2.4" TFT color display with a modern user interface
- Bluetooth interface
- 27 display languages
- 3 acoustic profiles for quick changes between different environmental conditions
- High-quality handset with optimized housing surface that resists against aggressive substances
- Encrypted voice transmission
- Secure system logon
- Multi-cell capability with:
 - Roaming
 - Seamless connection handover during a call
 - Bearer handover in case of disturbances
 - Display message when leaving radio network



Atos Unify OpenScape DECT Phone S6

DECT

The OpenScape DECT Phone S6 is a cordless phone equally suitable for use at the desktop or on the move throughout the workplace.

- Superior audio quality in noisy environments
- Duplex hands-free speakerphone
- Vibration (silent) alarm
- Resistant handset surface against a variety of liquids (e.g. Disinfectants). Optimized for use in health care
- Illuminated graphical 65K color LCD display
- 27 display languages
- Telephone directory with up to 500 entries
- Easy battery replacement via separate battery compartment
- Talk time up to 15 hours, stand by up to 300 hours
- Bluetooth™, wired headset and PC connectivity
- Encrypted voice transmission
- Secure system logon



Atos Unify OpenStage M3 Family

DECT

Atos Unify OpenStage M3 is an industry leading, multipurpose cordless phone family for use with DECT networks, specially designed for mobile employees working in tough industrial environments.

All OpenStage M3 phones are characterized by:

- IP65-certified housing, i.e. protection against water and dust
- Shock- and break-proof
- Modern, best in class user interface
- Bluetooth interface
- Excellent sound quality in support of noisy environments
- Standard connector for headsets
- Up to 17 hours talk time and up to 200 hours standby time

The OpenStage M3 family includes:

- OpenStage M3 - a robust cordless phone for tough environments with standard alarming
- OpenStage M3 Plus - a robust cordless phone with advanced alarming, ideal for personal security mainly used for the protection of lone workers or staff working in hazardous areas or situations
- OpenStage M3 Ex - a robust cordless phone for potentially explosive atmospheres with standard alarming
- OpenStage M3 Plus Ex - a robust cordless phone or potentially explosive atmospheres that includes numerous personal alarm signalling options



Atos Unify OpenStage WL4 Family

IP

WLAN

The Atos Unify OpenStage WL4 family is collection of enterprise-grade VoWLAN phones that deliver campus mobility without compromising voice quality. These attractive units offer excellent mobile security features and voice quality, ensured by the latest QoS standard.

Common features across the family include:

- Comprehensive user interface with easy feature access
- Powerful local phone features including feature rich directory, missed calls list, LDAP access
- Integrated IP interfaces to OpenStage systems
- Supported networks: IEEE 802.11 a/ b/ g/ n/ ac
- TFT display with multiple colors with high resolution, 240 x 320 pixel LCD
- Enclosure protection: IP44

OpenScape WLAN Phone WL4 Plus model variant available with advanced messaging & alarming capabilities including push button, man down, no movement and handset location with OpenScape Alarm Response integration



About Atos

Atos is a global leader in digital transformation with 110,000 employees in 73 countries and annual revenue of € 12 billion. European number one in Cloud, Cybersecurity and High-Performance Computing, the Group provides end-to-end Orchestrated Hybrid Cloud, Big Data, Business Applications and Digital Workplace solutions. The Group is the Worldwide Information Technology Partner for the Olympic & Paralympic Games and operates under the brands Atos, Atos|Syntel, and Unify. Atos is a SE (Societas Europaea), listed on the CAC40 Paris stock index.

The purpose of Atos is to help design the future of the information space. Its expertise and services support the development of knowledge, education and research in a multicultural approach and contribute to the development of scientific and technological excellence. Across the world, the Group enables its customers and employees, and members of societies at large to live, work and develop sustainably, in a safe and secure information space.

Find out more about us

atos.net

atos.net/career

Let's start a discussion together



For more information: unify.com

Atos, the Atos logo, Atos|Syntel, and Unify are registered trademarks of the Atos group. June 2020. © 2020 Atos. Confidential information owned by Atos, to be used by the recipient only. This document, or any part of it, may not be reproduced, copied, circulated and/or distributed nor quoted without prior written approval from Atos.